



Impacts of winter sport and recreational activities on the mountain hare (*Lepus timidus*)

Alparc, 4th March 2016, Lescheraines, Maik Rehnus


The 24-hour cycle



Reduced metabolic rate in winter




Glucocorticoid metabolites (GCM) in areas with different tourist intensities during winter




Predator challenge experiments

Control hares



$2,60 \pm 0,36 \text{ MJ day}^{-1}$

Stressed hares



$3,18 \pm 0,29 \text{ MJ day}^{-1}$



**vetmeduni
vienna**



Universität für Bodenkultur Wien
University of Natural Resources
and Applied Life Sciences, Vienna

We thank the Swiss National Park for granting permission to conduct the study; all helpers from Natur- und Tierpark Goldau for their support in conducting the experiment; Edith Klobetz-Rassam (Department of Biomedical Sciences/Biochemistry, University of Veterinary Medicine, Vienna) for assistance in the laboratory, the Bristol Foundation for financial support. The animal experiments were conducted with the permission of the Veterinary Office of the Urkantone in Switzerland (SZ-03/11).



A white hare stands in a snowy, mountainous landscape. The hare is positioned in the center of the frame, facing towards the camera. The background consists of snow-covered ground and hills under a clear sky. The overall scene is bright and cold.

Thank you for your attention!